



5000

lab line

Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon
NO-FROST	°C		Kw	L	Kg.		
NFP	+ 10/-5	1	0,4	500	180	200	lam.plast.
NFP	+ 10/-5	1	0,4	500	180	200	acc.inox
NFN	+ 5/-25	1	0,5	500	180	200	lam.plast.
NFN	+ 5/-25	1	0,5	500	180	200	acc.inox
NFA	-18/-40	1	1,5	500	180	200	lam.plast.
NFA	-18/-40	1	1,5	500	180	200	acc.inox






Standard
NR 22 600 x 400 mm



Alternativa / Alternative
Nr 4 600 x 440 mm


GRIGLIE GRIDS

Disponibile in:
available in:

-  INOX
-  LAM INOX
-  LAM PLAST




*modelli NFA NFNA cm 196
model NFA NFNA cm 196



5002

lab line




Icon	Icon	Icon	Icon	Icon	Icon	Icon	Icon
NO-FROST	°C		Kw	L	Kg.		
NFP	+ 10/-5	1	0,8	950	210	230	lam.plast.
NFP	+ 10/-5	1	0,8	950	210	230	acc.inox
NFN	+ 5/-25	1	1	950	210	230	lam.plast.
NFN	+ 5/-25	1	1	950	210	230	acc.inox
NFNA	-18/-40	2	3	950	210	230	lam.plast.
NFNA	-18/-40	2	3	950	210	230	acc.inox




NR 22 + 22 600 x 400 mm
NR 22 600 x 800 mm

GRIGLIE GRIDS

Disponibile in:
available in:

-  INOX
-  LAM INOX
-  LAM PLAST

*modelli NFA NFNA cm 196
model NFA NFNA cm 196



5010

lab line

NFP	+10/-5	1	0,4	650	195	209	lam.plast.
NFP	+10/-5	1	0,4	650	195	209	acc.inox
NFN	+5/-25	1	0,5	650	195	209	lam.plast.
NFN	+5/-25	1	0,5	650	195	209	acc.inox
NFNA	-18/-40	2	3	650	195	209	lam.plast.
NFNA	-18/-40	2	3	650	195	209	acc.inox
NFN/S	-5/-35	1	1,5	650	195	209	lam.plast.
NFN/S	-5/-35	1	1,5	650	195	209	acc.inox



*modelli NFA NFNA cm 196
model NFA NFNA cm 196

Capacità - Capacity
Nr. 48 165x120x360 mm

In alternativa
NR 22 x GN 2/1

GRIGLIE GRIDS

NFP	Nr 4	510 x 680 mm
NFN	Nr 7	510 x 680 mm

INOX

LAM INOX

LAM PLAST

5010 2T

lab line

NFP	+10/-5	1	0,5	500	195	209	lam.plast.
NFP	+10/-5	1	0,5	500	195	209	acc.inox
CB	+5/-25; +10/-5	1	1	500	195	209	lam.plast.
CB	+5/-25; +10/-5	1	1	500	195	209	acc.inox
CBA	+5/-25; -18/-40	2	2	500	195	209	lam.plast.
CBA	+5/-25; -18/-40	2	2	500	195	209	acc.inox



*modelli NFA NFNA cm 196
model NFA NFNA cm 196

Capacità - Capacity
Nr. 18 + 18 165x120x360 mm

GRIGLIE GRIDS

NFP	Nr 4	510 x 680 mm
NFN	Nr 7	510 x 680 mm

INOX


LAM INOX

LAM PLAST

5010 2T HI

lab line

CBA	+ 5/-25; -18/-40	2	2	620	195 209	lam.plast.
CBA	+ 5/-25; -18/-40	2	2	620	195 209	acc.inox



Capacità - Capacity
165x120x360 mm
NFN 36
+ NFA 12


GRIGLIE **NFP Nr 4 510 x 680 mm**
GRIDS **NFN Nr 7 510 x 680 mm**

INOX
LAM INOX
LAM PLAST
AUTO

5010 HI

lab line

NFP	+ 10/-5	1	0,4	720	195 209	lam.plast.
NFP	+ 10/-5	1	0,4	720	195 209	acc.inox
NFN	+ 5/-25	1	0,8	720	195 209	lam.plast.
NFN	+ 5/-25	1	0,8	720	195 209	acc.inox
NFNA	-18/-40	2	3	720	195 209	lam.plast.
NFNA	-18/-40	2	3	720	195 209	acc.inox
NFN/S	-5/-35	1	1,5	720	195 209	lam.plast.
NFN/S	-5/-35	1	1,5	720	195 209	acc.inox



Capacità - Capacity
Nr. 60 165x120x360 mm

GRIGLIE **NFP Nr 7 510 x 680 mm**
GRIDS **NFN Nr 9 510 x 680 mm**

INOX
LAM INOX
LAM PLAST
AUTO

NFP	+10/-5	1	0,4	800	200	210	lam.plast.
NFP	+10/-5	1	0,4	800	200	210	acc.inox
NFN	+5/-25	1	0,7	800	200	210	lam.plast.
NFN	+5/-25	1	0,7	800	200	210	acc.inox
NFNA	-18/-40	2	4	800	200	210	lam.plast.
NFNA	-18/-40	2	4	800	200	210	acc.inox



Capacità - Capacity
Nr. 64 165x120x360 mm

GRIGLIE GRIDS
NFP Nr 4+4 665 x 680 mm
NFN Nr 7+7 665 x 680 mm

INOX
LAM INOX
LAM PLAST

NFP	+10/-5	1	0,4	900	211	225	lam.plast.
NFP	+10/-5	1	0,4	900	211	225	acc.inox
NFN	+5/-25	1	0,7	900	211	225	lam.plast.
NFN	+5/-25	1	0,7	900	211	225	acc.inox
NFNA	-18/-40	2	3	900	211	225	lam.plast.
NFNA	-18/-40	2	3	900	211	225	acc.inox



Capacità - Capacity
Nr. 48 250x120x360 mm

GRIGLIE GRIDS
NFP Nr 4 740 x 680 mm
NFN Nr 7 740 x 680 mm

INOX
LAM INOX
LAM PLAST